


Restriction Enzyme (Restriction Endonuclease) or (Molecular Scissors)

Definition

- Restriction enzyme, also called restriction endonuclease, is a protein produced by bacteria that cleaves DNA at specific sites along the molecule.
- Restriction endonucleases cut the DNA double helix in very precise ways. It cleaves DNA into fragments at or near specific recognition sites within the molecule known as restriction sites.
- They have the capacity to recognize specific base sequences on DNA and then to cut each strand at a given place. Hence, they are also called as 'molecular scissors'.



Source of Restriction Enzymes

- The natural source of restriction endonucleases are bacterial cells.
- These enzymes are called restriction enzymes because they restrict infection of bacteria by certain viruses (i.e., bacteriophages), by degrading the viral DNA without affecting the bacterial DNA. Thus, their function in the bacterial cell is to destroy foreign DNA that might enter the cell.
- The restriction enzyme recognizes the foreign DNA and cuts it at several sites along the molecule.
- Each bacterium has its own unique restriction enzymes and each enzyme recognizes only one type of sequence.

Recognition Sites


- The DNA sequences recognized by restriction enzymes are called palindromes or Palindromic Sequences. Palindromes are the base sequences that read the same on the two strands but in opposite directions.

For example, if the sequence on one strand is GAATTC read in 5'→3' direction, the sequence on the opposite strand is CTTAAG read in the 3'→5' direction, but when both strands are read in the 5'→3' direction the sequence is the same. The palindrome appears accordingly —



In addition, there is a point of symmetry within the palindrome. In the example, this point is in the center between the AT/AT.

- The value of restriction enzymes is that they make cuts in the DNA molecule around this point of symmetry.
- Some enzymes cut straight across the molecule at the symmetrical axis producing blunt ends.



- Of more value, however, are the restriction enzymes that cut between the same two bases away from the point of symmetry on two strands, thus, producing a staggering break or protruding ends or sticky ends.

Mechanism of Cleavage of Restriction Enzymes

When a restriction endonuclease recognizes a particular sequence, it snips through the DNA molecule by catalyzing the hydrolysis (splitting of a chemical bond by addition of a water molecule) of the bond between adjacent nucleotides. To cut DNA, all restriction enzymes make two incisions, once through each sugar-phosphate backbone (i.e. each strand) of the DNA double helix.

Nomenclature of Restriction Enzymes

Since their discovery in the 1970s, many restriction enzymes have been identified.

Each enzyme is named after the bacterium from which it was isolated, using a naming system based on bacterial genus, species and strain. For example, the name of the *Eco*RI restriction enzyme was derived as:

E – *Escherichia*: Genus

co- *coli*: specific species

R- RY13: strain (form rough colonies)

I- First identified: order of identification in the bacterium

Applications of Restriction Enzymes

- Restriction enzymes can be isolated from bacterial cells and used in the laboratory to manipulate fragments of DNA, such as those that contain genes; for this reason, they are tools of recombinant DNA technology (genetic engineering).

Some examples of Restriction Enzymes




Figure: Sticky or protruding ends (5' or 3') or blunt ends produced by specific restriction enzymes.

One of the most popular restriction enzymes is called EcoRI from *E. coli* (bacterium).

- Hundreds of other restriction enzymes with different sequence specificities have been isolated from several bacteria and are commercially available.

Enzyme	Obtained from	Recognition Sequence
EcoR-I	<i>Escherichia coli</i>	5'GAATTC 3'CTTAAG
EcoR-II	<i>Escherichia coli</i>	5'CCWGG 3'GGWCC
EcoR-V	<i>Escherichia coli</i>	5'-GAT ATC 3'
BamH-I	<i>Bacillus amyloliquefaciens</i>	5'GGATCC 3'CCTAGG
Hind-III	<i>Haemophilus influenzae</i>	5'AAGCTT 3'TTCGAA
PstI	<i>Providencia stuartii</i>	5'-CTGCA 3' ACGTC